

**INFORMATION DISCLOSURE CITATION**  
(Use several sheets if necessary)

Docket Number (Optional)  
**H&U122**

Application Number  
**10/525,558**

Applicant(s)  
**Hacker et al.**

Filing Date  
**Feb. 24, 2005**

Group Art Unit  
**not known 1636**

**U.S. PATENT DOCUMENTS**

*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
/MKJ/		4,686,184	8/11/87	Puhler et al.	435	172.3	7/1/83
/MKJ/		6,391,631	5/21/02	Hacker et al.	435	320.1	10/2/00

**U.S. PATENT APPLICATION PUBLICATIONS**

*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

**FOREIGN PATENT DOCUMENTS**

	REF	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	Translation	
							YES	NO
		WO 99/26642	6/3/99	International application	A61K	35/74		✓
		WO 98/44134	10/8/98	International application	C12N	15/70		✓
/MKJ/		WO 00/78925	12/28/00	International application	C12N	1/20		

**OTHER DOCUMENTS** (Including Author, Title, Date, Pertinent Pages, Etc.)

/MKJ/		International Search Report in corresponding PCT application PCT/EP2004/006886, mailed 4/10/04, 2 pages.
/MKJ/ Abs. only		Duval-Iflah Y et al., "Implantation of a strain of Escherichia coli in the digestive tract of human newborns: barrier effect against antibioresistant E. coli", Annales De Microbiologie, 1982 May-Jun, Vol. 133, NO. 3, May 1982, pages 393-408.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

# INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

H&U122

Application Number

10/525,558

Applicant(s)

Hacker et al.

Filing Date

Feb. 24, 2005

Group Art Unit

not known

\*EXAMINER  
INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

/MKJ/

Kruls W. et al., "Einsatz von Probiotika in der Humanmedizin", Die Medizinische Welt, 1996, pages 53-57.

Internet search: "Inhibitory effect of probiotic Escherichia coli strain Nissle 1917" www.ingenta.com, 1 page.

Instruction pamphlet for Mutaflor (effective substance: Escherichia coli strain Nissle 1917), by Ardeypharm GmbH, 4 pages (in German).

English translation of Instruction pamphlet for Mutaflor (effective substance: Escherichia coli strain Nissle 1917), by Ardeypharm GmbH, 3 pages.

Blum et al., "Properties of Escherichia coli Strains of Serotype O6", Plasmid, New York, NY, Vol. 23, No. 4, July 1, 1995, pages 234-236.

Cukrowska et al., "Specific Proliferative and Antibody Responses of Premature Infants to Intestinal Colonization with Nonpathogenic Probiotic E. coli Strain Nissle 1917", Scand. J. Immunol., Vol. 55, No. 2, February 2002, pages 204-209.

Figueiredo et al., "Influence of oral inoculation with plasmid-free human Escherichia coli on the frequency of diarrhea during the first year of life in human newborns", J. of Pediatric Gastroenterology and Nutrition, July 2001, Vol. 33, No. 3, May 1982, pages 393-408.

Tolker-Nielsen et al., "A statistical analysis of the formation of plasmid-free cells in populations of Escherichia coli," J. Bacteriology, July 1994, Vol. 176, No. 14, pages 4306-4310.

Hynes et al., "Direct selection and deletion of Rhizobium plasmids using transposons carrying the Bacillus subtilis sacB gene", Gene, Vol. 78, 1989, pages 111-120.

Blum-Oehler et al., "Development of strain-specific PCR reactions for the detection of the probiotic Escherichia coli strain Nissle 1917 in fecal samples", Research in Microbiology, Vol. 154 (2003) pages 59-66.

Boudeau et al., "Inhibitory effect of probiotic Escherichia coli strain Nissle 1917 on adhesion to and invasion of intestinal epithelial cells by adherent-invasive E. coli strains isolated from patients with Crohn's disease", Aliment Pharmacol Ther, 2003, Vol. 18, pages 45-56.

Patzner et al., "The colicin G, H and X determinants encode microcins M and H47, which might utilize the catecholate siderophore receptors FepA, Cir, Fiu and Iron", Microbiology (2003), vol. 149, pages 2557-2570.

EXAMINER

DATE CONSIDERED

\*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

# INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

H&U122

Application Number

10/525,558

Applicant(s)

Hacker et al.

Filing Date

Feb. 24, 2005

Group Art Unit

not known

\*EXAMINER  
INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

/MKJ/

Fric et al., "The effect of non-pathogenic Escherichia coli in symptomatic uncomplicated diverticular disease of the colon", European Journal of Gastroenterology & Hepatology, 2003, Vol. 15, pages 313-315.

Waidmann et al., "Bacteroides vulgatus protects against Escherichia coli-induced colitis in gnotobiotic interleukin-2-deficient mice", Gastroenterology, 2003, Vol. 125, pages 162-177.

Tromm et al., "The probiotic E. coli Strain Nissle 1917 for the Treatment of Collagenous Colitis: First Results of an Open-Label Trial", Gastroenterology 2004, vol. 42, pages 365-369.

Alterhoefer et al., "The probiotic Escherichia coli strain Nissle 1917 interferes with invasion of human intestinal epithelial cells by different enteroinvasive bacterial pathogens", FEMS Immunology and Medical Microbiology, 40 (2004), pages 223-229.

Schultz et al., "Preventive effects of Escherichia coli Strain Nissle 1917 on acute and chronic intestinal inflammation in two different murine models of colitis", Clinical and Diagnostic Laboratory Immunology, March 2004, Vol. 11, No. 2, pages 372-378.

Otte et al., "Functional modulation of enterocytes by gram-positive and gram-negative microorganisms", Am J. Physiol. Gastrointest. Liver Physiol., Vol. 286, 2004, pages G613-G626.

Grozdanov et al., "Analysis of the genome structure of the nonpathogenic probiotic Escherichia coli Strain Nissle 1917", Vol. 186, No. 16, Aug. 2004, pages S432-S441.

Henker et al., Pediatric Gastroenterology, Hepatology and Nutrition, "Maintenance Therapy of Ulcerative Colitis in Children and Teenagers with the Probiotic E. coli Strain Nissle 1917", 2. Weltkongress of 3-7 July 2004, pages 523-527.

Wehkamp et al., "NF-kB- and AP-1-mediated induction of human beta defensin-2 in intestinal epithelial cells by Escherichia coli Nissle 1917: a novel effect of a probiotic bacterium", Infection and Immunity, Oct. 2004, Vol. 72, No. 10, pages 5750-5758.

von Buenau et al., "Escherichia coli Strain Nissle 1917: significant reduction of neonatal calf diarrhea", J. Dairy Sci, Vol. 88, 2005, pages 317-323.

Kruis et al., "Maintaining remission of ulcerative colitis with the probiotic Escherichia coli Nissle 1917 is as effective as with standard mesalazine", Gut, 2004, Vol. 52, No. 11, pages 1617-1623.

/MKJ/

Cross et al., "Patterns of cytokine induction by gram-positive and gram-negative probiotic bacteria", FEMS Immunology and Medical Microbiology, Vol. 42, pages 173-180, 2004.

EXAMINER

Michael K. Galtie

DATE CONSIDERED

6/18/07

\*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.